

ABSTRACT OF THE DISCLOSURE

An electrophotographic image receiving sheet comprising a support and a toner image receiving layer formed on the support and a process of forming an image on the sheet are disclosed. The support comprises base paper that contains more than 0.5 g/m^2 of at least one of an alkali metal salt and an alkaline earth metal salt and a moisture content of 6.5 % by weight or more and a polyolefin resin layer formed on each surface of the base paper. The base paper preferably contains the salt in a range of from 0.6 to 3 g/m^2 and a moisture content in a range of from 6.5 to 8.5 % by weight.